INDEX

Page

Abortion, Infectious, Bovine, Prevention by Vaccination during Calfhood, Studies. J. M. Buck 667–689
Actinomycetes, in soil, numbers, effect of green manure and lime 112–114, 121
Aenoplex betulaecola, parasitism on oriental peach moth in New Jersey 376, 377
Agropyron smithii Mixed Prairie, Grazing, Different Systems, Size of List Quadrat for Use in Determining Effects. Herbert C. Hanson and L. Dudley Love 549–560
ALLARD, H. A., and GARNER, W. W.: Photoperiodic Response of Soy Beans in Relation to Temperature and Other Environmental Factors 719–735
Almond—
  embryo, description 799
  fruit, classification, and description of parts 789
  Histology, Notes on: V. A. Pease 789–800
  seed coat, description 790–798
Almonds, hard and soft shelled, measurements of lignified cells of integuments 798
Amylase, occurrence in digestive tract of Japanese beetle 192–193, 195
Anions of Acid Dyes, Adsorption by Soil Colloids: J. G. Smith and P. L. Gile 401–413
Anthracnose—
  false—
    organism, crossing studies 281–287
    See also Fisheye rot.
  in peppers, development, effect of temperature and other factors 300–302, 304
Aplanobacter michiganense—
  isolations and inoculations 835
  morphology and cultural characters 847–848, 849
  persistence in soil 844–845
  physiology 848–849
  thermal death point 842
  variants 846–847
  virulence tests 847
Apple—
  rots—
    relative prevalence 271–272
    symptoms, comparison 269–271
  Trees, Nursery, Infectious Hairy Root, Studies. A. J. Riker, W. M. Banfield, W. H. Wright, G. W. Keitt, and H. E. Sagen 507–540
Apples—
  decay—
    from Aspergillus forms, description 812–815
    from Aspergillus forms, rate 811
    Relation of Aspergilli to. Glenn A. Huber 801–817
  Heterothallic Pathogene of, *Corticium centrifugum*. L. F. Butler 269–294
  washing, effect on number of Aspergilli spores on surface 801–802, 817
Apricot, gummosis organism, comparison with allied bacteria 235–245
ARCHIBALD, J. G.: The Chemical Composition of Grass from Plots Fertilized and Grazed Intensively in 1929 491–501
ARTSCHWAGER, ERNST: A Comparative Study of the Stem Epidermis of Certain Sugarcane Varieties 853–865
Ascogaster carpocapsae, parasitism on oriental peach moth in New Jersey 371, 372
Aspergilli—
  and Their Relation to Decay in Apples. Glenn A. Huber 801–817
  forms found on apples, description 802–811

Page

Aspergillus—
  forms, growth rate, effect of temperature 816–817
  fumigatus, description 807–808
  glaucus, description 808, 809
  nidulans, description 808, 809
  niger, description 805–806
  ochraceus, description 803
  sydowi, description 807
  tamarii, description 803
  terreus, description 807
  ustus, description 805
Avocado, inoculations with *Bacterium citriputeale*, *Bact. cerasi*, and *Bact. syringae*. 235, 236–239
Axillary buds. *See* Buds, axillary.

Babcock Test for Cream, Limits of Error. W. H. Martin, A. C. Fay, and K. M. Renner 147–159
Bacillus—
  radiobacter—
    agglutination tests 532–533
    cultures, purification 521–522
    inoculation into apple, tobacco, and tomato plants, results 517–518
    morphology, comparison with *Phytomonas tumefaciens* and the hairy root organism 523–536
  typhosus. See *Eberthella typhi*.
Bacteria—
  in soil, numbers, effect of green manure and lime 108–111, 121
  resistance to germicidal soaps and soap mixtures 738–747
Bacterial—
  Canker of Tomato, Studies. Mary K. Bryan 825–851
  Stripe Disease of Sugarcane in Louisiana. W. N. Christopher and C. W. Edgerton 259–267
Bacterium—
  abortus—
    inoculation into calves, results 668–689
    strains, comparative effectiveness for vaccination 672, 688
  cerasi, comparison with *Bact. syringae* and *Bact. citriputeale* 235–245
  citrarefaciens, morphology and other characteristics 242–243
  citriputeale—
    comparison with *Bact. syringae* and *Bact. cerasi* 235–245
    morphology and other characteristics 242–243
  rhizogenes, n. sp., cause of hairy root of apple, synonym for *Phytomonas rhizogenes*, n. sp 536
  syringae—
    comparison with *Bact. cerasi* and *Bact. citriputeale* 235–245
    morphology and other chacteristics 242–243
  tumefaciens. See also *Phytomonas tumefaciens*.
BAKER, LILIAN; HESS, KATHERINE; and FLOYD, E. V.: A Comparative Study of the Protective Value of Certain Fabrics in Still and Moving Air 139–146
Balansia—
  and Dothichloe, Conidial Fructifications. William W. Diehl 761–766
  claviceps, absence of conidia 761
  cyperi, conidia, description 764
  hypoxylon, conidial fructifications 763–764
  trinitensis, conidial fructifications 761–763
BANFIELD, W. M.; WRIGHT, W. H.; KEITT, G. W.; SAGEN, H. E.; and RIKER, A. J.: Studies on Infectious Hairy Root of Nursery Apple Trees 507–540

Page

Barley, growing, effect on succeeding crop of wheat 473, 474, 475
BAYLES, B. B.; STANTON, T. R.; COFFMAN, F. A.; TAPKE, V. F.; WIEBE, G. A.; and SMITH, R. W.: Influence of Hulling the Caryopsis on Covered-Smut Infection and Related Phenomena in Oats 621-633
Bean, mung. *See* Mung bean; Mung beans.
Beef—
kidney, vitamin-G content, experimental results 215-220
liver, vitamin-G content, experimental results 215-220
spleen, vitamin-G content, experimental results 215-220
vitamin-G content, experimental results 206-214, 220
Beetle, Japanese. *See* Japanese beetle.
BLACK, O. F.; EGGLESTON, W. W.; and KELLY, J. W.: *Linum neomexicanum* (Yellow Pine Flax) and One of Its Poisonous Constituents 715-718
Blue Stain, in Loblolly Pine, Relation to Moisture Content of Wood. Reginald H. Colley and Caroline T. Rumbold 389-399
Botrytis—
cinerea, inoculation on pepper fruits, experiments 297, 304
rot, in peppers—
description 296
development, effect of temperature and other factors 297-300, 304
Breeding—
cabbage, for resistance to yellows, experiments 11-14
corn, for vigor and smut resistance 222-231
potatoes, study of chromosome behavior and pollen production 867-887
See also Crossbreeding; Inbreeding.
Brown-rot gummosis, susceptibility of citrus varieties and species to 416-424
Browsing, damage to young trees and shrubs 563-568
Brush, Ceanothus, Effect on Western Yellow Pine Plantations in Northern Rocky Mountains. W. G. Wahlenberg 601-612
BRYAN, MARY K.: Studies on Bacterial Canker of Tomato 825-851
BUCK, J. M.: Studies of Vaccination during Calfhood to Prevent Bovine Infectious Abortion 667-689
Budding, cherry trees, effect on fruitfulness 332-333
Buds—
Axillary—
Development on Fruiting Branches of Pima and Upland Cotton. C. J. King 697-714
on Egyptian and upland cotton, comparison 697-698
on Egyptian and upland cotton, factors affecting 699-701
extra-axillary, on cotton, removal, effect on development of axillary fruit 702-709, 711
BUTLER, L. F.: *Corticium centrifugum*, a Heterothallic Pathogene of Apples 269-294
Butterfat, Babcock test, limits of error 147-159

Cabbage—
crossbreeding for resistance to yellows 11-14
Fusarium resistance, nature 31-32, 33
raw, ineffectiveness against scurvy 56
root—
normal, anatomy 19-20
wounding, effect on infection and resistance to yellows 10
roots, effects of soil sterilization 21-22
Strains Susceptible or Resistant to Yellows, Cytological Study of Plants. Rose Smith and J. C. Walker 17-35
yellows—
resistance, cause, studies 1-35
Resistance, Effect of Environmental Factors. J. C. Walker and Rose Smith 1-15
See also *Fusarium conglutinans*.
Calcium—
assimilation by growing pigs, effect of potassium iodide in ration 79-80, 84, 86

Page

Calcium—Continued.
balances, of pigs, effect of potassium iodide in ration 84, 86
California, Cherry Trees, Unproductive, Study. C. F. Kinman 327-335
Calves, vaccination for prevention of contagious abortion, studies 667-689
Cane cream, vitamin-B deficiency 755-756, 759
Canker, bacterial, of tomato—
causal organism, study 846-849
control by seed treatment 842-844
distribution and economic importance 825-826
field spread, seed infection, and dissemination 838-842
hosts 826-827
phases 827-838
Studies. Mary K. Bryan 825-851
CARROLL, W. E.; MITCHELL, H. H.; and HUNT, G. E.: Potassium Iodide as a Mineral Supplement in Paired Feeding Experiments with Growing Swine 65-77
Caryopsis, Hulling, Influence on Covered-Smut Infection and Related Phenomena in Oats. T. R. Stanton, F. A. Coffman, V. F. Tapke, G. A. Wiebe, R. W. Smith, and B. B. Bayles 621-633
Catalase—
activity variation in prepupal and pupal stages of Colorado potato beetle 693-695
Content of Colorado Potato Beetle during Metamorphosis. David E. Fink 691-696
Cattle—
Dairy, Measurements, Accuracy, Study. Jay L. Lush and O. C. Copeland 37-49
Grazing on Vegetation of a Virgin Forest in Northwestern Pennsylvania, Effect. H. J. Lutz 561-579
Ceanothus—
Brush, Effect on Western Yellow Pine Plantations in Northern Rocky Mountains. W. G. Wahlenberg 601-612
relutinus, environmental studies in northern Rocky Mountains 603-606
Cell structure, factor in identification of sugarcane varieties 862, 863, 864
Ceratostomella pilifera, inoculation in loblolly pine, experiments and results 391-399
Cherries, gummosis organism, comparison with allied bacteria 235-245
Cherry trees—
Black Tartarian, unproductiveness, study 327-334
top grafting and budding, effect on fruitfulness 332-333
unproductive—
growth and blossoming 330-331
in California, Study. C. F. Kinman 327-335
leaf symptoms 328-330
soil and moisture conditions 331-332
unproductiveness—
preventive and remedial measures 334-335
transmission experiments 333-334
Chicks—
Growing, Ration, Value of Potassium Iodide as a Supplement. T. S. Hamilton and C. H. Kick 135-137
White Leghorn, feeding experiments 135-137
CHRISTOPHER, W. N., and EDGERTON, C. W.: Bacterial Stripe Disease of Sugarcane in Louisiana 259-267
Chromosome—
Behavior and Pollen Production in the Potato. A. E. Longley and C. F. Clark 867-888
Numbers, Relation to Genetic Characters in a Wheat Species Cross. F. J. Stevenson 161-179
Citrange varieties, susceptibility to brown-rot gummosis 418, 420, 422
Citrus—
Blast—
Bacterium, and Some Other Allied Organisms, Comparative Study. Clayton O. Smith and Howard S. Fawcett 233-246
organism and allied bacteria, inoculations on fruits 235-242
organism, comparison with allied bacteria 235-245

Citrus—Continued. Page
Blast—Continued.
organism, smooth and rough forms, study 243
See also *Bacterium citriputeale*.
canker, causal organism, physiological study 247–257
disease resistance, biochemical measurement, discussion 422–423
Foliage, Oil Retained after Spraying, Quantity, Determination Method. L. L. English 131–133
inoculations with *Bacterium citriputeale*, *Bact. cerasi*, and *Bact. syringae* 235–237, 239–240, 242, 243
varieties and species—
inoculation with *Phytophthora citrophthora*, and results 416–422
Relative Resistance to Pythiacystis Gummosis and Other Bark Diseases. L. J. Klotz and H. S. Fawcett 415–425
susceptibility to brown-rot gummosis, experiments 416–424
CLARK, C. F., and LONGLEY, A. E.: Chromosome Behavior and Pollen Production in the Potato 867–888
Climate, influence in control of wireworms. 590
Climatic—
conditions, relation to growth of strawberry plants 313–316, 324–325
Factors, Effect on Diameter Growth of Longleaf Pine in Western Florida. J. Elton Lodewick 349–363
Clons, strawberry, leaf production, comparison with mother plants 323
Clothing, protective value of certain fabrics in still and moving air, study 139–146
CLOW, BERTHA; PARSONS, HELEN T.; and STEVENSON, INA: The Vitamin-C Content of Commercially Canned Sauerkraut, together with Some Observations on Its Vitamin-A Content 51–64
COFFMAN, F. A.; TAPKE, V. F.; WIEBE, G. A.; SMITH, R. W.; BAYLES, B. B.; and STANTON, T. R.: Influence of Hulling the Caryopsis on Covered-Smut Infection and Related Phenomena in Oats 621–633
Cold storage—
apples, decay from Aspergilli, rate 811
of peppers, some conditions affecting 295–305
COLES, E. H., and HALLSTED, A. L.: A Preliminary Report of the Relation between Yield of Winter Wheat and Moisture in the Soil at Seeding Time 467–477
COLLEY, REGINALD H., and RUMBOLD, CAROLINE T.: Relation between Moisture Content of the Wood and Blue Stain in Loblolly Pine 389–399
Colloids, Soil, Adsorption of Anions of Acid Dyes. J. G. Smith and P. L. Gile 401–413
Colorado, pasture grasses, species, frequency and abundance at Fort Collins 551–559
Conidial Fructification in Balansia and Dothichloe. William W. Diehl 761–766
COPELAND, O. C., and LUSH, JAY L.: A Study of the Accuracy of Measurements of Dairy Cattle 37–49
Copper sulphate, use in prevention of loss of nitrogen from cow excreta 504–506
Corn—
growing, effect on succeeding crop of wheat 471, 473, 474, 476, 477
Plant, Vigor, Relation to Susceptibility to Smut (*Ustilago zeae*). C. H. Kyle 221–231
planting methods, effect on morphology of plants 226
selfed lines and crosses—
resistance to smut, filtration studies 613–619
vigor, and susceptibility to smut 222–231
smut—
fungus, synthetic nutrient solutions for culturing 435–443
relation to vigor of plant, experimental study 222–231
Resistance in Certain Selfed Lines, Nature as Indicated by Filtration Studies. Emery R. Ranker 613–619
Susceptibility to Smut (*Ustilago zeae*), Relation to Vigor of Plant. C. H. Kyle 221–231
yield, relation to smut resistance 230–231

Corticium centrifugum— Page
A Heterothallic Pathogene of Apples. L. F. Butler 269–294
cultural studies 273–276
description from pure-culture study 292
taxonomy 290–292
Cotton—
crazy top, effect on development of axillary buds 709, 711, 714
Egyptian—
and upland, axillary buds, comparison 697–698
and upland, tissue-fluid properties, correlation with soil salinity 771–785
shedding of axillary buds 709–711, 714
fruit, axillary, development, effect of removal of extra-axillary buds 702–709, 711
Leaf-Tissue Fluids, Physicochemical Properties, Relation to Concentration of Soil Solution, Further Studies. J. Arthur Harris and Truman A. Pascoe 767–788
Pima and Upland, Development of Axillary Buds on Fruiting Branches. C. J. King 697–714
Short Branch—
Another Character Showing Monohybrid Inheritance. Thomas H. Kearney 379–387
description 380–381
Cottony-cushion scale, consumption by Australian lady beetle 197–203
Covered Smut and Related Phenomena in Oats, Influence of Hulling the Caryopsis. T. R. Stanton, F. A. Coffman, V. F. Tapke, G. A. Wiebe, R. W. Smith, and B. B. Bayles 621–623
Cow Excreta, Loss of Nitrogen from during the Day of Collection, Prevention by Use of Preservatives. Rowland B. French 503–506
Cows—
infectious abortion, prevention by vaccination during calfhood 667–689
measurements—
accuracy, study 37–49
description 41–44
measuring, methods 38–41
Cream, Babcock Test, Limits of Error. W. H. Martin, A. C. Fay, and K. M. Renner 147–159
Cresol, mixture with soap, germicidal efficiency 743, 745, 747
CRESSMAN, A. W., and DUMESTRE, Mrs. J. O.: The Feeding Rate of the Australian Lady Beetle, *Rodolia cardinalis* 197–203
Crossbreeding—
corn, for vigor and smut resistance 222–231
cotton, in study of short branch inheritance 379–380
potatoes, in study of sterility 869–872, 884, 886, 887
wheat, in study of chromosome numbers and genetic characters 161, 163, 165
See also Breeding; Inbreeding.
Crown-Gall—
and Hairy-Root Organisms, Single-Cell Isolations, Progeny Studies. W. H. Wright, A. S. Hendrickson, and A. J. Riker 541–547
inoculation studies, comparison with hairy root 513–521, 545
of apple, seasonal development 519–521
organism—
agglutination tests 532–533
bacteriological studies 521–535, 544–547
cultural characteristics, comparison with hairy root 524–529, 545–547
Culex pipiens. *See* Mosquito.

DALBOM, CLAUDE, and WEBSTER, JAMES E.: Changes in the Phosphorus Content of Growing Mung Beans 819–824
DARROW, GEORGE M.: Experimental Studies on the Growth and Development of Strawberry Plants 307–325
Day length, changes, response of soybeans to, study 719–735
Dextrose—
in olives, determination, methods and results 90–96
optimum content of synthetic nutrient solutions for culturing *Ustilago zeae* 441

Page

Diameter Growth of Longleaf Pine in Western Florida, Effect of Certain Climatic Factors. J. Elton Lodewick ... 349–363
DIEHL, WILLIAM W.: Conidial Fructifications in Balansia and Dothichloe ... 761–766
Digestive Tract, of Japanese Beetle, Anatomy and Physiology. Millard C. Swingle ... 181–196
Diplogaster americanus, n. sp., description ... 430–433
Diplogasteridae, classification ... 126, 428
Diplogasteroides—
spp., occurrence in slime flux of trees ... 427–428
stigmatus, n. sp., description ... 428–430
Dothichloe—
and Balansia, Conidial Fructifications. William W. Diehl ... 761–766
aristidae, conidial fructifications ... 765
atramentosa, conidial fructifications ... 764–765
DUMESTRE, MRS. J. O., and CRESSMAN, A. W.: The Feeding Rate of the Australian Lady Beetle, *Rodolia cardinalis* ... 197–203
Dyes, Acid, Anions of, Adsorption by Soil Colloids. J. G. Smith and P. L. Gile ... 401–413

Eberthella typhi, resistance to germicidal soaps and soap mixtures ... 738–739, 741–745, 746
EDGERTON, C. W., and CHRISTOPHER, W. N.: Bacterial Stripe Disease of Sugarcane in Louisiana ... 259–267
EGGLESTON, W. W.; BLACK, O. F.; and KELLY, J. W.: *Linum neomexicanum* (Yellow Pine Flax) and One of Its Poisonous Constituents ... 715–718
Elater sp. *See* Wireworms.
ENGLISH, L. L.: A method for Determining the Quantity of Oil Retained by Citrus Foliage after Spraying ... 131–133
Environment—
effect on pollen production in potatoes ... 881–882, 883
Factors—
Effect upon the Resistance of Cabbage to Yellows. J. C. Walker and Rose Smith ... 1–15
relation to photoperiodic response of soybeans ... 719–735
Enzymes, digestive, occurrence in tract of Japanese beetle ... 191–195, 196
Ephelis mexicana, ascogenous fructification, description ... 762–763, 765
Epidermis, Stem, of Certain Sugarcane Varieties, Comparative Study. Ernst Artschwager ... 853–865
Excreta, Cow, Loss of Nitrogen from during the Day of Collection, Prevention by Use of Preservatives. Rowland B. French ... 503–506

Fabrics, Protective Value in Still and Moving Air, Comparative Study. Katherine Hess, E. V. Floyd, and Lilian Baker ... 139–146
Fallow, effect on succeeding crop of wheat ... 471, 473, 474, 476, 477
Farrowing, sows, relation of age to size of litter ... 593–600
Fat tests, by Babcock method, limits of error, study ... 148–159
Fauna, Nemic, of Slime Flux of Carolina Poplar. G. Steiner ... 427–434
FAWCETT, HOWARD S., and—
KLOTZ, L. J.: The Relative Resistance of Varieties and Species of Citrus to Pythiacystis Gummosis and Other Bark Diseases ... 415–425
SMITH, CLAYTON O.: A Comparative Study of the Citrus Blast Bacterium and Some Other Allied Organisms ... 233–246
FAY, A. C.; RENNER, K. M.; and MARTIN, W. H.: The Limits of Error of the Babcock Test for Cream ... 147–159
Feces and urine of cow, loss of nitrogen from, prevention by use of preservatives ... 503–506
Feeding—
chicks, experiments with potassium iodide ... 135–137
guinea pigs, on canned sauerkraut, experiments ... 51–53, 54–60, 63
Paired Experiments with Growing Swine, Potassium Iodide as a Mineral Supplement. W. E. Carroll, H. H. Mitchell, and G. E. Hunt ... 65–77

Page

Feeding—Continued.
rats—
on canned sauerkraut, experiments ... 53–54, 61–64
on meats and meat products as source of vitamin G ... 206–220
Fertilization, mung bean, effect on phosphorous distribution in plant ... 823
Fertilizers, effect on chemical composition of grass ... 491–501
Filtration Studies, Indication of Nature of Smut Resistance in Certain Selfed Lines of Corn. Emery R. Ranker ... 613–619
FINK, DAVID E.: The Catalase Content of the Colorado Potato Beetle during Metamorphosis ... 691–696
Fir, Douglas—
actual and normal stands, relationship ... 636, 638–659
breaks in stand, effect on stocking ... 644–645
Immature Forests, Yields, Actual and Normal, Relationship Study. Walter H. Meyer ... 635–665
normal yield tables for ... 639–640
stocking—
degree, effects of slope, aspect, and site ... 659–662
degree, indexes ... 648–659
effect on quality of wood ... 663
relations obtained by strip and plot analysis ... 662–663
yield prediction, method, effect of understocking or overstocking ... 647–648
Fisheye rot—
of apples—
infection methods ... 272–273
relative prevalence ... 271–272
symptoms, comparison with other rots ... 269–271
organism, crossing studies ... 277–281, 282–290
Flax—
toxicity to livestock ... 717
Yellow Pine (*Linum neomexicanum*) and One of Its Poisonous Constituents. W. W. Eggleston, O. F. Black, and J. W. Kelly ... 715–718
Florida, Western, Diameter Growth of Longleaf Pine in, Effect of Certain Climatic Factors. J. Elton Lodewick ... 349–363
Flowering time, in soybeans, effect of changes in day length ... 720–735
FLOYD, E. V.; BAKER, LILIAN; and HESS, KATHERINE: A Comparative Study of the Protective Value of Certain Fabrics in Still and Moving Air ... 139–146
Forest—
fully stocked, definition ... 635
Virgin, Vegetation, Effect of Cattle Grazing in Northwestern Pennsylvania. H. J. Lutz ... 561–570
Forests, Douglas fir—
area occupied, relation to stocking ... 644–645
Immature, Actual and Normal Yields, Relationship Study. Walter H. Meyer ... 635–665
small hole, causes ... 646–647
Formaldehyde, use in prevention of loss of nitrogen from cow excreta ... 504–506
Freezing injury, of peppers, description ... 296
FRENCH, ROWLAND B.: The Use of Preservatives to Prevent Loss of Nitrogen from Cow Excreta during the Day of Collection ... 503–506
Fungi, in soil, numbers, effect of green manure and lime ... 114–116, 121
Fusarium conglutinans—
growth, effect of soil sterilization ... 8–9
infection of cabbage, temperature study ... 4–7, 8–14
penetration and development in resistant and susceptible strains of cabbage ... 22–31, 34
relation to host, study methods ... 18–19
See also Cabbage yellows.

GARNER, W. W., and ALLARD, H. A.: Photoperiodic Response of Soybeans in Relation to Temperature and Other Environmental Factors ... 719–735
Gels, artificial, of iron and aluminum, adsorption of ponceau and orange II ... 409–410
Genetic Characters in Relation to Chromosome Numbers in a Wheat Species Cross. F. J. Stevenson ... 161–179

Page

Germicidal Efficiency of Soaps and of Mixtures of Soaps with Sodium Hydroxide or with Phenols. J. M. Schaffer and F. W. Tilley ... 737–747

GILE, P. L., and SMITH, J. G.: The Adsorption of the Anions of Acid Dyes by Soil Colloids ... 401–413

Glypta rufiscutellaris, parasitism on oriental peach moth in New Jersey ... 368, 371, 372, 376, 377

Goiter, in animals, potassium iodide treatment, efficacy ... 76–77

Grafting, cherry trees, effect on fruitfulness ... 332–335

Grapefruit, varieties, susceptibility to brown-rot gummosis ... 418, 419, 421

Grass—
- Chemical Composition from Plots Fertilized and Grazed Intensively in 1929. J. G. Archibald ... 491–501
- fertilization, effect on chemical composition ... 491–501
- from Plots Fertilized and Grazed Intensively in 1929, Chemical Composition. J. G. Archibald ... 491–501

Grasses—
- inoculations with organism of mottled-stripe disease ... 264
- pasture, species, frequency and abundance in Colorado ... 551–559

Grazing—
- Cattle, Effect on Vegetation of a Virgin Forest in Northwestern Pennsylvania. H. J. Lutz ... 561–570
- Different Systems, Effects upon *Agropyron smithii* Mixed Prairie, Determination, Size of List Quadrat Used. Herbert C. Hanson and L. Dudley Love ... 549–560

Green manure, effect on succeeding crop of wheat ... 472, 473, 474

Green manures—
- decomposition in acid and alkaline soils, microbiology, study ... 97–121
- Rye and Vetch, Effect on the Microflora, Nitrates, and Hydrogen-ion Concentration of Two Acid and Neutralized Soils. Nathan R. Smith and Harry Humfeld ... 97–123

Guinea pigs, feeding on canned sauerkraut, experiments ... 51–53, 54–60, 63

Gummosis, Pythiacystis, and Other Bark Diseases of Citrus, Relative Resistance of Varieties and Species to. L. J. Klotz and H. S. Fawcett ... 415–425

HAEUSSLER, G. J.: Parasites of the Oriental Peach Moth, *Laspeyresia molesta* Busck, in North America ... 365–377

Hairy-Root—
- and Crown-Gall Organisms, Single-Cell Isolations, Progeny Studies. W. H. Wright, A. A. Hendrickson, and A. J. Riker ... 541–547
- infectious—
  - causal organism, identity and technical description ... 535–537
  - of apple, description ... 508–512
  - of apple, isolations and inoculation studies ... 513–521, 545, 546
  - of apple, seasonal development ... 519–521
  - of Nursery Apple Trees, Studies. A. J. Riker, W. M. Banfield, W. H. Wright, G. W. Keitt, and H. E. Sagen ... 507–540
  - organism—
    - agglutination tests ... 532–533
    - bacteriological studies ... 521–528, 544–547
    - cultures, purification ... 521–522, 542–544, 547
    - morphology and cultural characteristics ... 524–529, 545–547
    - morphology, comparison with *Phytomonas tumefaciens* and *Bacillus radiobacter* ... 523–536

HALLSTED, A. L., and COLES, E. H.: A Preliminary Report of the Relation between Yield of Winter Wheat and Moisture in the Soil at Seeding Time ... 467–477

HAMILTON, T. S., and KICK, C. H.: The Value of Potassium Iodide as a Supplement to the Ration of Growing Chicks ... 135–137

Page

HANSON, HERBERT C., and LOVE, L. DUDLEY: Size of List Quadrat for Use in Determining Effects of Different Systems of Grazing upon *Agropyron smithii* Mixed Prairie ... 549–560

HARRIS, J. ARTHUR, and PASCOE, TRUMAN A.: Further Studies on the Relationship between the Concentration of the Soil Solution and the Physicochemical Properties of the Leaf-Tissue Fluids of Cotton ... 767–788

Heat conductivity by different soil types ... 581–585

Heifers, immunization against infectious abortion, studies ... 667–689

HENDRICKSON, A. A.; RIKER, A. J.; and WRIGHT, W. H.: Studies on the Progeny of Single-Cell Isolations from the Hairy-Root and Crown-Gall Organisms ... 541–547

HESS, KATHERINE; FLOYD, E. V.; and BAKER, LILIAN: A Comparative Study of the Protective Value of Certain Fabrics in Still and Moving Air ... 139–146

Heterothallic Pathogene of Apples, *Corticium centrifugum*. L. F. Butler ... 269–294

HOAGLAND, RALPH, and SNIDER, GEORGE G.: Vitamin G in Certain Meats and Meat By-Products ... 205–220

Hogs—
- litters, size, relation to age of dam ... 593–600
- *See also* Pigs; Swine.

Hot-water treatment of tomato seed for control of bacterial canker ... 842–844

HUBER, GLENN A.: The Aspergilli and Their Relation to Decay in Apples ... 801–817

Hulling the Caryopsis, Influence on Covered-Smut Infection and Related Phenomena in Oats. T. R. Stanton, F. A. Coffman, V. F. Tapke, G. A. Wiebe, R. W. Smith, and B. B. Bayles ... 621–633

HUMFELD, HARRY, and SMITH, NATHAN R.: Effect of Rye and Green Manures on the Microflora, Nitrates, and Hydrogen-ion Concentration of Two Acid and Neutralized Soils ... 97–123

Humidity—
- effect on development of diseases of peppers in storage ... 299–305
- relation to photoperiodic response of soybeans ... 726–728

HUNT, G. E.; CARROLL, W. E.; and MITCHELL, H. H.: Potassium Iodide as a Mineral Supplement in Paired Feeding Experiments with Growing Swine ... 65–77

Hydrogen-ion Concentration—
- Effect on Toxicity of Nicotine, Pyridine, and Methylpyrrolidine to Mosquito Larvae. Charles H. Richardson and Harold H. Shepard ... 337–348
- of citrus-canker cultures, effect of temperature ... 254
- of culture medium, effect on growth of hairy-root organism ... 527–528
- of nutrient solutions, relation to sterilization ... 437
- of two acid and neutralized soils, effect of rye and vetch green manures ... 118–120, 121

Hyperparasites, of oriental peach moth, list ... 367

Hypochnus—
- rot. *See* Fisheye rot.
- sp., identification as *Corticium centrifugum* ... 290

Icerya purchasi, consumption by Australian lady beetle ... 197–203

Inbreeding—
- corn, in study of short branch ... 381–386
- cotton, in study of short branch ... 381–386
- wheat, in study of genetic characters and chromosome numbers ... 163–178
- *See also* Breeding; Crossbreeding.

Infectious Abortion, Bovine, Prevention by Vaccination during Calfhood, Studies. J. M. Buck ... 667–689

Inheritance—
- Mendelian. *See* Inheritance, monohybrid.
- Monohybrid, in Cotton, Shown by Short Branch Character. Thomas H. Kearney ... 379–387
- rust resistance in wheat crosses, study ... 163–165, 176–177, 178

Page

Inheritance—Continued.
smut resistance in oats, effect of hulling seed ... 630-631
Inoculation—
apple trees, with infectious hairy-root organism ... 513-521
citrus varieties and species, with *Phytophthora citrophthora*, results ... 416-422
experiments with cabbage yellows ... 7, 8-14
fruits, with *Bacterium citriputeale*, *Bact. cerasi*, and *Bact. syringae*, results ... 235-240
grasses, with mottled-stripe organism ... 264
loblolly pine wood with blue-stain fungus, experiments and results ... 389-399
sugarcane, with—
mottled-stripe organism ... 262-264
red-stripe and top-rot organism ... 261
tomato plants, with *Aplanobacter michiganense* ... 835
Insecticides, toxicity to mosquito larvae, effect of hydrogen-ion concentration ... 337-347
Insects—
parasitic on oriental peach moth, list ... 366-367
Subterranean, Survival, Relation to Winter Soil Temperatures. G. Allen Mail ... 571-592
survival at low temperatures, study ... 585-590
Invertase, occurrence in digestive tract of Japanese beetle ... 193-194, 195, 196
Iodine supplements, in ration, effect on growth of pigs, studies ... 65-77, 82, 86
Isolations, Single-Cell, from Hairy-Root and Crown-Gall Organisms, Progeny Studies. W. H. Wright, A. A. Hendrickson, and A. J. Riker ... 541-547

Japanese beetle—
digestive—
enzymes, kinds and functions ... 191-195, 196
Tract, Anatomy and Physiology. Millard C. Swingle ... 181-196
tract, contents, hydrogen-ion concentration ... 189-191
tract, histology ... 185-189
foods, digestion ... 192-196
Johnson grass, susceptibility to mottled-stripe of sugarcane ... 264
JONES, D. BREESE, and NELSON, E. M.: Vitamins in Sugarcane Juice and in Some Cane-Juice Products ... 749-759

Kafir, growing, effect on succeeding crop of wheat ... 472, 473, 474, 476, 477
Kansas, wheat yields, relation to moisture in soil at seeding time, study ... 467-477
KEARNEY, THOMAS H.: Short Branch, Another Character of Cotton Showing Monohybrid Inheritance ... 379-387
KEITH, T. B.: Relation of Size of Swine Litters to Age of Dam and to Size of Succeeding Litters ... 593-600
KEITT, G. W.; SAGEN, H. E.; RIKER, A. J.; BANFIELD, W. M.; and WRIGHT, W. H.: Studies on Infectious Hairy Root of Nursery Apple Trees ... 507-540
KELLY, J. W.; EGGLESTON, W. W.; and BLACK, O. F.: *Linum neomexicanum* (Yellow Pine Flax) and One of Its Poisonous Constituents ... 715-718
KICK, C. H., and HAMILTON, T. S.: The Value of Potassium Iodide as a Supplement to the Ration of Growing Chicks ... 135-137
Kidney, beef, vitamin-G content, experimental study ... 215-220
KING, C. J.: Development of Axillary Buds on Fruiting Branches of Pima and Upland Cotton ... 697-714
KINMAN, C. F.: A Study of Some Unproductive Cherry Trees in California ... 327-335
KLOTZ, L. J., and FAWCETT, H. S.: The Relative Resistance of Varieties and Species of Citrus to Pythiacystis Gummosis and Other Bark Diseases ... 415-425
KYLE, C. H.: Relation between the Vigor of the Corn Plant and Its Susceptibility to Smut (*Ustilago zeae*) ... 221-231

Lactase, occurrence in digestive tract of Japanese beetle ... 194, 195

Page

Lady beetle, Australian—
feeding on cottony-cushion scale, experiments ... 197-203
food consumption, factors affecting ... 199
Rodolia cardinalis, Feeding Rate. A. W. Cressman and Mrs. J. O. Dumestre ... 197-203
Lamb, vitamin-G content, experimental study ... 206-214, 220
Larvae, potato-beetle, catalase content, studies ... 691-695
Laspeyresia molesta Busck, Oriental Peach Moth, Parasites of in North America. G. J. Haeussler ... 365-377
LAURITZEN, JOHN I., and WRIGHT, R. C.: Some Conditions Affecting the Storage of Peppers ... 295-305
Lead acetate, basic, reducing power, comparison with mercuric nitrate ... 90-91
Leaf-stripe diseases, of sugarcane, study in Louisiana ... 259-267
Leaf-Tissue Fluids of Cotton, Physicochemical Properties, Relation to Concentration of Soil Solution, Further Studies. J. Arthur Harris and Truman A. Pascoe ... 767-788
Lemon, varieties and species, susceptibility to brown-rot gummosis ... 417, 419, 421
Lemons, inoculations with *Bacterium citriputeale*, *Bact. cerasi*, and *Bact. syringae* ... 235, 236, 239-241, 242, 243
Leptinotarsa decemlineata. *See* Potato beetle, Colorado.
Light exposure, response of soybean to, study ... 719-735
Lilac—
blight organism, comparison with allied bacteria ... 235-245
inoculations with *Bacterium citriputeale*, *Bact. cerasi*, and *Bact. syringae* ... 235, 237-238
Lime, varieties and species, susceptibility to brown-rot gummosis ... 417, 419, 421
Liming, soils, effect on microflora, nitrates, and hydrogen-ion concentration ... 102-121
Linaceae, toxicity to livestock ... 717
Linotoxin, extraction from yellow pine flax ... 717-718
Linum—
catharticus, poisonous constituent ... 717
neomexicanum (Yellow Pine Flax)—
and One of Its Poisonous Constituents. W. W. Eggleston, O. F. Black, and J. W. Kelly ... 715-718
botanical description ... 715-717
poisonous constituent, extraction ... 717-718
Lipase, occurrence in digestive tract of Japanese beetle ... 194, 195
List Quadrat for Use in Determining Effects of Different Systems of Grazing upon *Agropyron smithii* Mixed Prairie, Size. Herbert C. Hanson and L. Dudley Love ... 549-560
Litters, Swine, Size, Relation to Age of Dam and to Size of Succeeding Litters. T. B. Keith ... 593-600
Liver, beef and pork, vitamin-G content, experimental study ... 215-220
LODEWICK, J. ELTON: Effect of Certain Climatic Factors on the Diameter Growth of Longleaf Pine in Western Florida ... 349-363
LONGLEY, A. E., and CLARK, C. F.: Chromosome Behavior and Pollen Production in the Potato ... 867-888
LOUCKS, K. W.: Some Physiological Studies of *Phytomonas citri* ... 247-258
Louisiana, Bacterial Stripe Diseases of Sugarcane in. W. N. Christopher and C. W. Edgerton ... 259-267
LOVE, L. DUDLEY, and HANSON, HERBERT C.: Size of List Quadrat for Use in Determining Effects of Different Systems of Grazing upon *Agropyron smithii* Mixed Prairie ... 549-560
Ludius aeripennis—
control, influence of temperature ... 589-590
var. *tinctus*, freezing point, determination ... 587-589
Lumber, loblolly pine, relation between moisture content and blue stain ... 389-399
LUSH, JAY L., and COPELAND, O. C.: A Study of the Accuracy of Measurements of Dairy Cattle ... 37-49

Page

LUTZ, H. J.: Effect of Cattle Grazing on Vegetation of a Virgin Forest in Northwestern Pennsylvania ... 561–570

MCCLURE, F. J., and MITCHELL, H. H.: Influence of Small Quantities of Potassium Iodide on the Assimilation of Nitrogen, Phosphorus, and Calcium in the Growing Pig ... 79–87

Macrocentrus—
ancylivora, parasitism on oriental peach moth in New Jersey ... 368, 371–377
delicatus, parasitism on oriental peach moth in New Jersey ... 372, 375, 377

MAIL, G. ALLEN: Winter Soil Temperatures and Their Relation to Subterranean Insect Survival ... 571–592

Maize. *See* Corn.

Maltase, occurrence in digestive tract of Japanese beetle ... 193, 195, 196

Maltose, optimum content of synthetic nutrient solutions for culturing *Ustilago zeae* ... 441–442

Mandarin, varieties, susceptibility to brown-rot gummosis ... 420

Manures, green. *See* Green manure; Green manures.

MARTIN, W. H.; FAY, A. C.; and RENNER, K. M.: The Limits of Error of the Babcock Test for Cream ... 147–159

Meats and Meat By-Products, Vitamin G in. Ralph Hoagland and George G. Snider ... 205–220

Melanotus communis, freezing points, determination ... 585–589

Mercuric nitrate, reducing power, comparison with basic lead acetate ... 90–91

Methylpyrrolidine solutions, toxicity to mosquito larvae, effect of hydrogen-ion concentration ... 344, 347

MEYER, WALTER H.: A Study of the Relation between Actual and Normal Yields of Immature Douglas Fir Forests ... 635–665

Microflora, in soil, numbers, effect of green manure and lime ... 102–116, 121

Mineral Supplement, Potassium Iodide, in Paired Feeding Experiments with Growing Swine. W. E. Carroll, H. H. Mitchell, and G. E. Hunt ... 65–77

Minnesota—
soil-temperature data, winter of 1927–28 ... 574–585
winter survival of insects, study ... 571–591

MITCHELL, H. H.—
and MCCLURE, F. J.: Influence of Small Quantities of Potassium Iodide on the Assimilation of Nitrogen, Phosphorus, and Calcium in the Growing Pig ... 79–87
HUNT, G. E.; and CARROLL, W. E.: Potassium Iodide as a Mineral Supplement in Paired Feeding Experiments with Growing Swine ... 65–77

Moisture—
Content of Loblolly Pine Wood, Relation to Blue Stain. Reginald H. Colley and Caroline T. Rumbold ... 389–399
in Soil—
at Seeding Time, Relation to Yield of Winter Wheat, Preliminary Report. A. L. Hallsted and E. H. Coles ... 467–477
relation to photoperiodic response of soybeans ... 726

Molasses, blackstrap, vitamin-B deficiency ... 756–757, 759

Monohybrid Inheritance, in Cotton, Shown by Short Branch Character. Thomas H. Kearney ... 379–387

Mosquito larvae—
poisoning by nicotine, process, description ... 338–339
Toxicity of Nicotine, Pyridine and Methylpyrrolidine to, Effect of Hydrogen-ion Concentration. Charles H. Richardson and Harold H. Shepard ... 337–348

Mung—
bean, phosphorus distribution in various parts ... 821–823
Beans, Growing, Changes in Phosphorous Content. James E. Webster and Claude Dalbom ... 819–824

Page

NELSON, E. M., and JONES, D. BREESE: Vitamins in Sugarcane Juice and in Some Cane-Juice Products ... 749–759

Nema, *Neodiplogaster pinicola*, n. sp., Associated with the White-pine Weevil in Terminal Shoots of White Pine. G. Steiner ... 125–130

Nemas, Predacious, of Genus Nygolaimus and a New Genus, Sectonema. Gerald Thorne ... 445–466

Nematodes. *See* Nemas; Nemic fauna.

Nemic Fauna of Slime Flux of Carolina Poplar. G. Steiner ... 427–434

Neodiplogaster pinicola, n. sp.—
a Nema Associated with the White-Pine Weevil in Terminal Shoots of the White Pine. G. Steiner ... 125–130
economic importance ... 127
technical description ... 127–129

New Jersey, peach moth, oriental, parasites, study at Riverton ... 369–377

NICHOLS, P. F.: Variations in Content of Sugars and Related Substances in Olives ... 89–96

Nicotine—
poisoning of mosquito larvae, process, description ... 338–339
solutions, toxicity to mosquito larvae, effect of hydrogen-ion concentration ... 339–343, 344–346, 347

Nitrates, accumulation in soils, effect of green manure and lime ... 116–118, 121

Nitrogen—
assimilation by growing pigs, effect of potassium iodide ... 79–80, 82–83, 86
balances, of pigs, effect of potassium iodide in ration ... 83, 86
in fertilizer, effect on chemical composition of grass ... 492–493, 498, 499
Loss from Cow Excreta during Day of Collection, Prevention by Use of Preservatives. Rowland B. French ... 503–506
nitrate, in soils, effect of green manure and lime ... 102–107, 116–118, 121

Nursery Apple Trees, Infectious Hairy Root, Studies. A. J. Riker, W. M. Banfield, W. H. Wright, G. W. Keitt, and H. E. Sagen ... 507–540

Nutrient solutions, hydrogen-ion concentration, relation to sterilization ... 437

Nygolaims—
general structure ... 447–450
habitat and population per acre of four species ... 446–447
habits ... 445–446

Nygolaimus—
acuticaudatus, technical description ... 460–461
amphigonicus, technical description ... 453
aquaticus, technical description ... 456–457
bisexualis, technical description ... 451–452
brachyurus, technical description ... 454–455
denticulatus, technical description ... 463–464
dubius, technical description ... 461
ferox, technical description ... 458
Genus, and a New Genus, Sectonema, Predacious Nemas of. Gerald Thorne ... 445–466
hartingii, technical description ... 461–462
menzelii, technical description ... 462–463
obtusus, technical description ... 454
pachydermatus, technical description ... 453–454
shadini, technical description ... 459
spp., key ... 450–451
tenuis, technical description ... 452
teres, technical description ... 459–460
vulgaris, technical description ... 451

Oat seed, hulling, influence on—
inheritance to smut resistance ... 630–631
number of plants reaching maturity ... 629–630, 632
seedling emergence ... 628–629, 632
smut infection ... 626–632

Oats—
caryopsis hulling, effect on smut resistance ... 621–632
Covered-Smut Infection and Related Phenomena, Influence of Hulling the Caryopsis. T. R. Stanton, F. A. Coffman, V. F. Tapke, G. A. Wiebe, R. W. Smith, and B. B. Bayles ... 621–633
varieties and hybrids, smut resistance, effect of hulling caryopsis ... 622–632

Page

Oil, Quantity Retained by Citrus Foliage after Spraying, Determination Method. L. L. English 131–133
Olives—
Content of Sugars and Related Substances, Variations. P. F. Nichols 89–96
maturity, relation to sugar content 92–93
varieties, sugar content 92–95
Orange II, adsorption by soils and artificial gels 406–409, 410–412
Orange, varieties, susceptibility to brown-rot gummosis 418, 419, 421–423

Parasites of Oriental Peach Moth, *Laspeyresia molesta* Busck, in North America. G. J. Haeussler 365–377
PARSONS, HELEN T.; STEVENSON, INA; and CLOW, BERTHA: The Vitamin-C Content of Commercially Canned Sauerkraut, together with Some Observations on Its Vitamin-A Content 51–64
PASCOE, TRUMAN A., and HARRIS, J. ARTHUR: Further Studies on the Relationship between the Concentration of the Soil Solution and the Physicochemical Properties of the Leaf-Tissue Fluids of Cotton 767–788
Pasteurella—
avicida, resistance to germicidal soaps and soap mixtures 740–741, 746–747
suiseptica, resistance to germicidal soaps and soap mixtures 740, 746–747
Pastures—
grazing, effect, determination by use of list quadrat 549–559
vegetation species, frequency and abundance in Colorado 551–559
Peach—
moth, oriental—
hyperparasites, list 367
Laspeyresia molesta Busck, Parasites in North America. G. J. Haeussler 365–377
parasites, study at Riverton, New Jersey 369–377
twigs, collection of oriental peach-moth parasites from 371–375
Peaches, collection of oriental peach-moth parasites from 375
PEASE, V. A.: Notes on the Histology of the Almond 789–800
Pennsylvania, Northwestern, Virgin Forest, Effect of Cattle Grazing. H. J. Lutz 561–570
Peppers—
anthracnose, development, effect of temperature and other factors 300–302, 304
Botrytis rot—
description 296
development, effect of temperature and other factors 297–300, 304
freezing injury, description 296
ripening in storage, effect of temperature, humidity, and time 302, 304
shriveling in storage, effect of temperature, humidity, and time 303–304, 305
Storage, Some Conditions Affecting. John I. Lauritzen and R. C. Wright 295–305
Peptase, occurrence in digestive tract of Japanese beetle 195, 196
Phanerotoma tibialis, parasitism on oriental peach moth in New Jersey 371, 372, 375, 376
Phaseolus aureus. *See* Mung bean; Mung beans.
Phenol, germicidal efficiency, tests 737–740, 742–743, 745, 746–747
Phosphorus—
assimilation by growing pigs, effect of potassium iodide in ration 79–80, 85, 86
balances, of pigs, effect of potassium iodide in ration 85, 86
Content of Growing Mung Beans, Changes. James E. Webster and Claude Dalbom 819–824
distribution in mung bean plant 821–823
Photoperiodic Response of Soybeans in Relation to Temperature and Other Environmental Factors. W. W. Garner and H. A. Allard 719–735

Page

Phytomonas—
citri—
cause of citrus canker 247
cultural characters 248–249
digestion of starch, effect of temperature 253
growth rate, effect of temperature 249–253
longevity in sterile and unsterile soils 254–256
Physiological Studies. K. W. Loucks 247–258
rhizogenes—
n. sp., description 536–537
single-cell isolations, progeny studies 541–547
rubrilineans, cause of sugarcane disease in Louisiana 261–262, 265, 266–267
rubrisubalbicans, sp. nov., technical description 266
tumefaciens—
cultures, purification 521–522, 542–544, 547
inoculations on apple, experimental results 512–517
morphology, comparison with *Bacillus radiobacter* and hairy root organism 523–536
single-cell isolations, progeny studies 541–547
Phytophthora citrophthora, inoculation on citrus varieties and species, results 416–422
Pig, Growing, Assimilation of Nitrogen, Phosphorus, and Calcium, Influence of Small Quantities of Potassium Iodide. F. J. McClure and H. H. Mitchell 79–87
Pigs—
food consumption with potassium iodide in ration 81
growth, effect of potassium iodide in ration, studies 65–77, 82, 86
litters, size, relation to age of dam 593–600
metabolism, experiments with potassium iodide in ration 80–86
paired-feeding experiments with potassium iodide 72–77
Pine—
Loblolly, Blue Stain, Relation to Moisture Content of Wood. Reginald H. Colley and Caroline T. Rumbold 389–399
longleaf—
crown and bole development, relationship in western Florida 357–358
Diameter Growth in Western Florida, Effect of Certain Climatic Factors. J. Elton Lodewick 349–363
growth, relation to cardinal directions 356–357
ring width, relation to temperature and precipitation 351–354
summer and spring wood production, climatic factors 358–361
vigor, effect of rainfall 354–356
Western Yellow, Plantations in Northern Rocky Mountains, Effect of Ceanothus Brush. W. G. Wahlenberg 601–612
White, a Nema, *Neodiplogaster pinicola*, n. sp., Associated with the White-Pine Weevil in Terminal Shoots. G. Steiner 125–130
Pines, southern, moisture content, relation to blue stain 399
Pinus—
palustris. *See* Pine, longleaf.
strobus, nema in terminal shoots 125–130
taeda, blue stain, relation to moisture content of wood 389–399
Pissodes strobi. *See* White-pine weevil.
Plants, leaf-tissue fluids, relation to soil properties, studies with cotton 767–787
Poisoning, mosquito larvae by nicotine, process, description 338–339
Pollen—
mother cells, development in potatoes, study 867–887
Production and Chromosome Behavior in the Potato. A. E. Longley and C. F. Clark 867–888
Pomelo, varieties, susceptibility to brown-rot gummosis 418, 419, 421
Ponceau, adsorption by soils and artificial gels 406–412
Popillia japonica. *See* Japanese beetle.
Poplar, Carolina, Slime Flux of, Nemic Fauna. G. Steiner 427–434
Pork, vitamin-G content, experimental study 206–214, 220

Page

Potassium Iodide—
as Mineral Supplement in Paired Feeding Experiments with Growing Swine. W. E. Carroll, H. H. Mitchell, and G. E. Hunt 65–77
feeding to pigs, methods and results 72–77
Small Quantities, Influence on Assimilation of Nitrogen, Phosphorus, and Calcium in Growing Pig. F. J. McClure and H. H. Mitchell 78–87
Value as Supplement to Ration of Growing Chicks. T. S. Hamilton and C. H. Kick 135–137
Potato—
Beetle, Colorado—
Catalase Content during Metamorphosis. David E. Fink 691–696
oxygen liberation during prepupal and pupal stages 693–695
Chips—
Color as Influenced by Storage Temperatures of Tubers and Other Factors. Marion Deyoe Sweetman 479–490
color scale 481–482
color, trade preferences 488, 490
frying technic in color study 481
Chromosome Behavior and Pollen Production. A. E. Longley and C. F. Clark 867–888
cultivated—
forms, chromosomes, numbers and behavior 872–887
origin and ancestry 885–886
tubers—
size, relation to color of chips 483–484, 490
sugar content, correlation with chip color 487–488, 489, 490
varieties, chip color after different storage conditions 483, 490
wild forms, chromosome numbers and behavior 868–872
Potatoes—
digging time, relation to chip color 484, 489, 490
disease, effect on chip color 487, 490
genetic similarity, effect on chip color 484–485, 490
hill selection, relation to chip color 485–486, 490
pollen tetrads, effect of environment 881–882, 883
sterility, study in commercial and wild varieties 867–887
storage conditions, effect on chip color 482–490
Precipitation, relation to ring width in longleaf pine 351–354
Preservatives, Use to Prevent Loss of Nitrogen from Cow Excreta during the Day of Collection. Rowland B. French 503–506
Prunus-gummosis organism, comparison with allied bacteria 235–245
Pseudomonas rhizogenes, n sp. synonym for *Phytomonas rhizogenes*, n. sp. 536
Pseudotsuga taxifolia. *See* Fir, Douglas.
Pummelo, varieties, susceptibility to brown-rot gummosis 418, 419, 421
Pyridine solutions, toxicity to mosquito larvae, effect of hydrogen-ion concentration 344, 347
Pythiacystis-citophthora. See *Phytophthora citophthora*.
Gummosis and Other Bark Diseases of Citrus, Relative Resistance of Varieties and Species to. L. J. Klotz and H. S. Fawcett 415–425

Quadrat, size suitable for study of grazing systems 549–559
Quince tree, collection of oriental peach-moth parasites from 376–377
Quinces, collection of oriental peach-moth parasites from 375–376

Rainfall, effect on—
chemical composition of grass 494–495, 499, 500, 501
soil temperature in winter 580–581
vigor of longleaf pine 354–356
RANKER, EMERY R.—
Synthetic Nutrient Solutions for Culturing *Ustilago zeae* 435–434
The Nature of Smut Resistance in Certain Selfed Lines of Corn as Indicated by Filtration Studies 613–619

Page

Ration, for Growing Chicks, Value of Potassium Iodide as Supplement. T. S. Hamilton and C. H. Kick 135–137
Rations, swine, iodine supplements, effects 65–77, 79–86
Rats, feeding on—
canned sauerkraut as source of vitamin A 53–54, 61–64
meats and meat by-products as source of vitamin G 206–220
Reforestation, in northern Rocky Mountains, effect of Ceanothus brush 601–611
RENNER, K. M.; MARTIN, W. H.; and FAY, A. C.: The Limits of Error of the Babcock Test for Cream 47–159
RICHARDSON, CHARLES H. and SHEPARD, HAROLD H.: The Effect of Hydrogen-ion Concentration on the Toxicity of Nicotine, Pyridine, and Methylpyrrolidine to Mosquito Larvae 337–348
RIKER, A. J.—
BANFIELD, W. M.; WRIGHT, W. H.; KEITT, G. W.; and SAGEN, H. E.: Studies on Infectious Hairy Root of Nursery Apple Trees 507–540
WRIGHT, W. H.; and HENDRICKSON, A. A.: Studies on the Progeny of Single-Cell Isolations from the Hairy-Root and Crown-Gall Organisms 541–547
Rocky Mountains, Northern, Western Yellow Pine Plantations, Effect of Ceanothus Brush on. W. G. Wahlenberg 601–602
Rodolia cardinalis, Australian Lady Beetle, Feeding Rate. A. W. Cressman and Mrs. J. O. Dumestre 197–203
Rotation, crop, aid in control of bacterial canker of tomato 845
Rots, of apple—
relative prevalence 271–272
symptoms, comparison 269–271
RUMBOLD, CAROLINE T., and COLLEY, REGINALD H.: Relation between Moisture Content of the Wood and Blue Stain in Loblolly Pine 389–399
Rye and Vetch, Green Manures, Effect on the Microflora, Nitrates, and Hydrogen-ion Concentration of Two Acid and Neutralized Soils. Nathan R. Smith and Harry Humfeld 97–123

Saccharum—
officinarum, varieties and hybrids—
epidermis, histology 856–865
identification key 864–865
spp. *See also* Sugarcane.
spontaneum, epidermis, histology 862
SAGEN, H. E.; RIKER, A. J.; BANFIELD, W. M.; WRIGHT, W. H.; and KEITT, G. W.: Studies on Infectious Hairy Root of Nursery Apple Trees 507–540
Salmonella—
gallinarum, resistance to germicidal soaps and soap mixtures 739, 740, 746
pullorum, resistance to germicidal soaps and soap mixtures 739–740, 741–743, 743
Sauerkraut—
canned, antiscorbutic effectiveness, comparison in six brands 54–60
Commercially Canned, Vitamin-C Content, with Some Observations on Its Vitamin-A Content. Bertha Clow, Helen T. Parsons, and Ina Stevenson 51–64
fresh and canned, antiscorbutic effectiveness, comparison 60, 63
manufacture processes, variation in six brands 52
Scale, cottony-cushion, food of Australian lady beetle, consumption rate 197–203
SCHAFFER, J. M., and TILLEY, F. W.: Germicidal Efficiency of Soaps and of Mixtures of Soaps with Sodium Hydroxide or with Phenols 737–747
Scurvy, in guinea pigs—
determination criteria 53
prevention by feeding canned sauerkraut, experiments 52–53, 55–60, 63
Sectonema—
New Genus, and Genus Nygolaimus, Predacious Nemas of. Gerald Thorne 445–466

Page

Sectonema—Continued.
n. g., diagnosis and type 464
ventralis, technical description 464–465
Sectonemas—
habitat and population per acre 446–447
habits 445–446
Seedlings, western yellow pine, growth among Ceanothus brush 602–611
SHEPARD, HAROLD H., and RICHARDSON, CHARLES H.: The Effect of Hydrogen-ion Concentration on the Toxicity of Nicotine, Pyridine, and Methylpyrrolidine to Mosquito Larvae 337–348
Short Branch of Cotton—
Another Character Showing Monohybrid Inheritance. Thomas H. Kearney 379–387
description 380–381
inheritance in cross with normal branch 381–385
Shrubbery, forest, damage by cattle grazing 566–568
Single-Cell Isolations from Hairy-Root and Crown-Gall Organisms, Progeny Studies. W. H. Wright, A. A. Hendrickson, and A. J. Riker 541–547
Sirup, sugarcane, vitamin-B deficiency 756–757, 759
Slime Flux of Carolina Poplar, Nemic Fauna. G. Steiner 427–434
SMITH, CLAYTON O., and FAWCETT, HOWARD S.: A Comparative Study of the Citrus Blast Bacterium and Some Other Allied Organisms 233–246
SMITH, J. G., and GILE, P. L.: The Adsorption of the Anions of Acid Dyes by Soil Colloids 401–413
SMITH NATHAN R., and HUMFELD, HARRY: Effect of Rye and Vetch Green Manures on the Microflora, Nitrates, and Hydrogen-ion Concentration of Two Acid and Neutralized Soils 97–123
SMITH, R. W.; BAYLES, B. B.; STANTON, T. R.; COFFMAN, F. A.; TAPKE, V. F.; and WIEBE, G. A.: Influence of Hulling the Caryopsis on Covered-Smut Infection and Related Phenomena in Oats 621–633
SMITH, ROSE, and WALKER, J. C.—
A Cytological Study of Cabbage Plants in Strains Susceptible or Resistant to Yellows 17–35
Effect of Environmental Factors upon the Resistance of Cabbage to Yellows 1–15
Smut—
corn. *See* Corn smut.
Covered, and Related Phenoma in Oats, Influence of Hulling the Caryopsis. T. R. Stanton, F. A. Coffman, V. F. Tapke, G. A. Wiebe, R. W. Smith, and B. B. Bayles 621–633
Resistance in Certain Selfed Lines of Corn, Nature as Indicated by Filtration Studies. Emery R. Ranker 613–619
SNIDER, GEORGE G., and HOAGLAND, RALPH: Vitamin G in Certain Meats and Meat By-Products 205–220
Snow, effect on soil temperature 580
Soaps—
and mixtures of Soaps with Sodium Hydroxide or with Phenol, Germicidal Efficiency. J. M. Schaffer and F. W. Tilley 737–747
germicidal, efficiency tests 645–746
Sodium—
carminate, adsorption by soils, study 404–406, 410–412
hydroxide, germicidal efficiency, tests 737–741, 746–747
Soil—
acidity, effect of green manure and lime 118–120, 121
Colloids, Adsorption of Anions of Acid Dyes. J. G. Smith and P. L. Gile 401–413
effect on viability of *Aplanobacter michiganense*, study 844–845
electrical resistance, correlation with tissue-fluid properties of Egyptian and upland cotton 779–787
microorganisms, numbers, effect of green manure and lime 102–116, 120–121
Moisture at Seeding Time, Relation to Yield of Winter Wheat, Preliminary Report. A. L. Hallsted and E. H. Coles 467–477

Soil—Continued.
Page
nitrates, accumulation, effect of green manure and lime 116–118, 121
properties, relation to characteristics of cotton 767–787
salinity, correlation with tissue fluid properties in Egyptian and upland cotton 771–779
Solution, Concentration, Relation to Physicochemical Properties of Leaf-Tissue Fluids of Cotton, Further Studies. J. Arthur Harris and Truman A. Pascoe 767–788
sterilization, effect on—
development of cabbage yellows 8–9
roots of cabbage 21–22
temperature—
data in Minnesota, winter of 1927–28 574–585
effect on development of cabbage yellows 3–9, 10, 11, 14–15
temperatures—
at different depths 582–584
taking by thermocouple method 572–574
Winter, and Their Relation to Subterranean Insect Survival. G. Allen Mail 571–592
Soils—
Acid and Neutralized, Microflora, Nitrates, and Hydrogen-ion Concentration, Effect of Rye and Vetch Green Manures on. Nathan R. Smith and Harry Humfeld 97–123
conductivity of heat, comparison 581–585
moisture-carrying capacity in Kansas 468
sterile and unsterile, effect on longevity of *Phytomonas citri* 254–256
Solanum—
tuber-bearing forms, chromosomes, number and meiotic behavior 867–887
tuberosum, cultivated forms, chromosome numbers and behavior 872–887
wild species, chromosome numbers and behavior 868–872
Sorghum, susceptibility to mottled stripe of sugarcane 264
Sow, age, relation to size of litters 593–600
Soybean seeds, germination date, relation to development of plant 720, 721–725, 730, 732
Soybeans—
flowering time, effect of changes in day length 720–735
Photoperiodic Response in Relation to Temperature and Other Environmental Factors. W. W. Garner and H. A. Allard 719–735
vegetative period, effect of changes in day length 719–735
Spleen, beef, vitamin-G content, experimental study 215–220
Spraying Citrus Foliage, Oil Retained, Quantity, Determination Method. L. L. English 131–133
STANTON, T. R.; COFFMAN, F. A.; TAPKE, V. F.; WIEBE, G. A.; SMITH, R. W.; and BAYLES, B. B.: Influence of Hulling the Caryopsis on Covered-Smut Infection and Related Phenomena in Oats 621–633
Staphylococcus aureus, resistance to germicidal soaps and soap mixtures 739, 741–747
STEINER, G.—
Neodiplogaster pinicola, n. sp., a Nema Associated with the White-Pine Weevil in Terminal Shoots of the White Pine 125–130
The Nemic Fauna of the Slime Flux of the Carolina Poplar 427–434
Stem Epidermis of Certain Sugarcane Varieties, Comparative Study. Ernst Artschwager 853–865
Sterility, potatoes, study in commercial and wild varieties 867–887
STEVENSON, F. J.: Genetic Characters in Relation to Chromosome Numbers in a Wheat Species Cross 161–179
STEVENSON, INA; CLOW, BERTHA; and PARSONS, HELEN T.: The Vitamin-C Content of Commercially Canned Sauerkraut, together with Some Observations on Its Vitamin-A Content 51–64
Storage—
of Peppers, Some Conditions Affecting. John I. Lauritzen and R. C. Wright 295–305

Page

Storage—Continued.
of potatoes, effect on color of chips 482-490
Temperature of Potato Tubers, and Other Factors Influencing the Color of Chips. Marion Deyoe Sweetman 479-490
Strawberry—
clons, leaf production, comparison with mother plant 323
leaves, longevity, relation to time of unfolding 319-320
Plants—
Growth and Development, Experimental Studies. George M. Darrow. 307-325
leaf-product graphs, comparison with climatic graphs 313-316
leaf production, relation to leaf maturity 316-319
runners, removal, effect on leaf-product indices 311-313, 321-323
varieties—
leaf-product indices, effect of runner removal 311-313, 321-323
leaf-product indices to time of runner formation 310
net leaf production, comparison 320-321
Streptococci, hemolytic, resistance to germicidal soaps and soap mixtures ... 739, 741, 746
Sucrose, in olives, determination, methods and results 91, 92, 96
Sugar, in olives, determination by basic lead acetate and mercuric nitrate 90-91, 92
Sugarcane—
Bacterial Stripe Diseases in Louisiana. W. N. Christopher and C. W. Edgerton 259-267
cream, vitamin-B deficiency 755-756, 759
Juice—
and Cane-Juice Products, Vitamins in. E. M. Nelson and D. Breese Jones .. 749-759
expressing at different pressures, effect on vitamin-B content 752-755
leaf-stripe diseases, study in Louisiana 259-267
mottled stripe—
causal organism, study 262-267
cultural characters and comparison with related diseases 264-265
symptoms, and inoculations 262-264
red stripe, symptoms, inoculations, and relation to tropical disease 259-262
stalks, juice from different parts, analysis for vitamins 755, 757-758
stem epidermis, structure, description ... 854-856
top rot, symptoms, inoculations, and relation to tropical disease 259-262
Varieties, Stem Epidermis, Comparative Study. Ernst Artschwager 853-865
See also *Saccharum* spp.
Sugars—
and Related Substances, Content of Olives, Variations. P. F. Nichols 89-96
fermentation by hairy-root and related organisms 530-532
Superphosphate, fertilizer for mung bean, effect on phosphorus distribution in plant 823
Sweetman, Marion Deyoe: Color of Potato Chips as Influenced by Storage Temperatures of the Tubers and Other Factors 479-490
Swine—
Growing, Paired Feeding Experiments, Potassium Iodide as a Mineral Supplement. W. E. Carrol, H. H. Mitchell, and G. E. Hunt 65-77
Litters, Size, Relation to Age of Dam and to Size of Succeeding Litters. T. B. Keith 593-600
Swingle, Millard C.: Anatomy and Physiology of the Digestive Tract of the Japanese Beetle 181-196
Synthetic Nutrient Solutions for Culturing *Ustilago zeae*. Emery R. Ranker 435-443

Tapke, V. F.; Wiebe, G. A.; Smith, R. W.; Bayles, B. B.; Stanton, T. R.; and Coffman, F. A.: Influence of Hulling the Caryopsis on Covered-Smut Infection and Related Phenomena in Oats .. 621-633

Page

Temperature—
and Other Environmental Factors, Photoperiodic Response of Soybeans in Relation to. W. W. Garner and H. A. Allard 719-735
effect on—
chemical composition of grass 494-495
development of diseases of peppers in storage 297-305
growth rate of *Phytomonas citri* in potato broth 249-253
starch digestion by *Phytomonas citri* 253
influence in control of wireworms 589-590, 591
relation to ring width in longleaf pine 351
storage, of—
apples, effect on decay rate 811
apples, effect on growth rate of Aspergilli 816-817
Potato Tubers, and Other Factors Influencing the Color of Chips. Marion Deyoe Sweetman 479-490
Temperatures, soil—
and air, effect on development of cabbage yellows 3-11, 14-15
in Winter, and Their Relation to Subterranean Insect Survival. G. Allen Mail. 571-592
Thermocouple, use in taking soil temperatures 572-574
Thorne, Gerald: Predacious Nemas of the Genus Nygolaimus and a New Genus, Sectonema 445-446
Thyroid enlargement, in animals, potassium iodide treatment, efficacy 76-77
Tilley, F. W., and Schaffer, J. M.: Germicidal Efficiency of Soaps and of Mixtures of Soaps with Sodium Hydroxide or with Phenols 737-747
Timber, Douglas fir—
actual and normal stands, relationship 636, 638-659
normal yield, study of plot samples 659-663, 665
Tobacco plants, inoculation with apple strain of hairy root 515, 517-518, 537
Tomato—
Bacterial Canker, Studies. Mary K. Bryan 825-851
bird's-eye spot, description 837
infection with bacterial canker, description 827-832, 833-835, 837-842
plants, inoculation with apple strain of hairy root 515, 516, 517-518, 537
Tomatoes, seed treatment for bacterial canker 842-844
Toxicity of Nicotine, Pyridine, and Methylpyrrolidine to Mosquito Larvae, Effect of Hydrogen-ion Concentration. Charles H. Richardson and Harold H. Shepard .. 337-348
Trees, species, damage by cattle grazing 563-566
Trichogramma minutum, parasitism on oriental peach moth 368, 371
Tryptase, occurrence in digestive tract of Japanese beetle 194-195, 196

Unproductiveness, in cherry trees, study in California 327-335
Urine and feces of cow, loss of nitrogen from, prevention by use of preservatives .. 503-506
Ustilago
levis, infection of oats, effect of hulling seed 625-632
zeae—
average growth in 26 synthetic nutrient solutions 439-440
cultural solutions, requirements 435-436
Culturing, Synthetic Nutrient Solutions for. Emery R. Ranker 435-443
growth in filtrates of corn juice 618-619
Smut, Susceptibility of Corn Plant to, Relation to Vigor. C. H. Kyle .. 221-231
synthetic nutrient solutions, optimum dextrose content 441
synthetic nutrient solutions, optimum maltose content 441-442
See also Corn smut.

Vaccination, during Calfhood to Prevent Bovine Infectious Abortion, Studies. J. M. Buck 667-689

Page

Vaccine, infectious abortion, preparation for tests 669
Vedalia beetle. *See* Lady beetle, Australian.
Vegetative period, in soybeans, effect of changes in day length 719–735
Vetch and Rye, Green Manures, Effect on the Microflora, Nitrates, and Hydrogen-ion Concentration of Two Acid and Neutralized Soils. Nathan R. Smith and Harry Humfeld 97–123
Vitamin—
A, content of—
canned sauerkraut, determination . 53–54, 61–64
sugarcane juice, study 752, 759
B, content of—
cane-juice products 755–757, 759
sugarcane juice, study . 750–751, 752–755, 757–759
B_2. *See* Vitamin G.
C, Content of Commercially Canned Sauerkraut, with Some Observations on Its Vitamin-A Content. Bertha Clow, Helen T. Parsons, and Ina Stevenson 51–64
D, content of sugarcane juice, study 752, 759
G in Certain Meats and Meat By-Products. Ralph Hoagland and George G. Snider 205–220
growth-promoting. *See* Vitamin G.
Vitamins in Sugarcane Juice and in Some Cane-Juice Products. E. M. Nelson and D. Breese Jones 749–759

WAHLENBERG, W. G.: Effect of Ceanothus Brush on Western Yellow Pine Plantations in the Northern Rocky Mountains 601–612
WALKER, J. C., and SMITH, ROSE—
A Cytological Study of Cabbage Plants in Strains Susceptible or Resistant to Yellows 17–35
Effect of Environmental Factors upon the Resistance of Cabbage to Yellows 1–15
WEBSTER, JAMES E., and DALBOM, CLAUDE: Changes in the Phosphorus Content of Growing Mung Beans 819–824
Weevil, white-pine. *See* White-pine weevil.
Wheat—
acreage in Kansas, determining factors 467
species—
classification as to chromosome numbers. 161–163
Cross, Genetic Characters in Relation to Chromosome Numbers. F. J. Stevenson 161–179

Page

Wheat—Continued.
stubble land, preparation methods, effect on yield of wheat 475
Winter, Yield, Relation to Moisture in Soil at Seeding Time, Preliminary Report. A. L. Hallsted and E. H. Coles. 467–477
yields following—
barley 473, 474, 475
corn 471, 473, 474, 476, 477
fallow 471, 473, 474, 476, 477
green manure 472, 473, 474
kafir 472, 473, 474, 476, 477
wheat 473, 474, 476
White-pine weevil—
habits 127
in Terminal Shoots of the White Pine, *Neodiplogaster pinicola*, n. sp., a Nema Associated with. G. Steiner 125–130
WIEBE, G. A.; SMITH, R. W.; BAYLES, B. B.; STANTON, T. R.; COFFMAN, F. A.; and TAPKE, V. F.: Influence of Hulling the Caryopsis on Covered-Smut Infection and Related Phenomena in Oats 621–633
Winter Soil Temperatures and Their Relation to Subterranean Insect Survival. G. Allen Mail 571–592
Wireworms—
control, influence of temperature 589–590, 591
freezing points, determination 585–589
Wood, loblolly-pine, inoculation with blue-stain fungus, experiments and results 389–399
Woolly knot, bacteriological isolation, results 537
WRIGHT, R. C., and LAURITZEN, JOHN I.: Some Conditions Affecting the Storage of Peppers 295–305
WRIGHT, W. H.—
HENDRICKSON, A. A., and RIKER, A. J.: Studies on the Progeny of Single-Cell Isolations from the Hairy-Root and Crown-Gall Organisms 541–547
KEITT, G. W.; SAGEN, H. E.; RIKER, A. J.; and BANFIELD, W. M.: Studies on Infectious Hairy Root of Nursery Apple Trees 507–540

Yeast, use in sugar determination in olives 91–92
Yellows, Resistance in Cabbage, Effect of Environmental Factors. J. C. Walker and Rose Smith 1–15

Zea mays. *See* Corn.
Zinc sulphate, use in prevention of loss of nitrogen from cow excreta 504–506